

2840 KASPER FAUNAFOOD - RODOPHYL

Rodophyl is a red colorant agent containing canthaxanthine and glucose. Rodophyl contains no vitamins, trace elements and minerals.

Directions for use: Rodophyl should be used in the following dosage:

- Before and a few weeks after moulting
2% in the total daily ration.
- During the rest of the year: 1%

Kasper Faunafood Flamingo feeds pelleted (6601) and floating (6161) contain enough canthaxantin and no addition of rodophyl is needed.

Analysis

Crude protein	%	0
Crude fat	%	0
Crude fibre	%	0
Ash	%	0.5
Dry matter	%	91.1
Starch	%	0
Sugar	%	90.1
NDF	%	0
ADF	%	0
ADL	%	0

Energy

GE	kcal/kg	3742
----	---------	------

Minerals

Ca	%	0
P	%	0
K	%	0
Mg	%	0
Na	%	0
Cl	%	0

Trace elements:

Fe	mg/kg	0
Mn	mg/kg	0
Zn	mg/kg	0
Cu	mg/kg	0
Co	mg/kg	0
I	mg/kg	0
Se	mg/kg	0

Amino acids

Lysine	g/kg	0
Methionine	g/kg	0
Methionine+Cystine	g/kg	0
Cystine	g/kg	0
Threonine	g/kg	0
Tryptofaan	g/kg	0
Isoleucine	g/kg	0
Arginine	g/kg	0
Fenylalanine	g/kg	0
Histidine	g/kg	0
Leucine	g/kg	0
Tyrosine	g/kg	0
Valine	g/kg	0

Vitamins

Choline	mg/kg	0
Vit.A	IU/kg	0
Vit.D3	IU/kg	0
Vit.E	mg/kg	0
Vit.K3	mg/kg	0
Vit.B1 thiamine	mg/kg	0
Vit.B2 riboflavin	mg/kg	0
Vit.B6 pyridoxine	mg/kg	0
Vit.B3 niacin	mg/kg	0
Vit.B5 pantothenic acid	mg/kg	0
Vit.B12 cobalamin	µg/kg	0
Vit.B9 folic acid	mg/kg	0
Betaine	mg/kg	0
Biotine	µg/kg	0
Vit.C	mg/kg	0
Linoleic acid	g/kg	0
Canthaxanthin	mg/kg	1000



The calculated analyses values can show limited differences due to incidental adaptations.